

A		
Aluminium sleeves - for wire rope	A-6550	67
American pattern cargo blocks - with eye, one sheave	P-6916	131
C		
Carabine hooks - standard type	E-7200	133
Carabine hooks - standard type	R-7872	149
Carabine hooks - with pressed thimble	E-7210	133
Carabine hooks - with pressed thimble	R-7875	149
Carabine hooks - with pressed thimble and screw nut	E-7230	134
Carabine hooks - with screw nut	E-7220	134
Carabine hooks - with screw nut	R-7876	150
Chain repair links - commercial quality	E-7910	136
Closed body rigging screws Eye - Eye	G-6340	88
Closed body rigging screws Eye - Jaw	G-6345	88
Closed body rigging screws Jaw - Jaw	G-6343	87
Closed body rigging screws Jaw - Jaw	R-7830	145
Commercial Shackles - bow shackles with counter sunk screw pin - electro-galvanized	E-1162	47
Commercial Shackles - bow shackles with counter sunk screw pin - self coloured	S-1162	47
Commercial Shackles - bow shackles with screw collar pin - electro-galvanized	E-1161	46
Commercial Shackles - bow shackles with screw collar pin - self coloured	S-1161	46
Commercial Shackles - bow shackles with square head screw pin	S-1164	46
Commercial Shackles - danlino V shackles with square head screw pin	S-1170	49
Commercial Shackles - dee shackles with counter sunk screw pin - electro-galvanized	E-1152	48
Commercial Shackles - dee shackles with counter sunk screw pin - self coloured	S-1152	48
Commercial Shackles - dee shackles with screw collar pin - electro-galvanized	E-1151	47
Commercial Shackles - dee shackles with screw collar pin - self coloured	S-1151	47
Commercial Shackles - dee shackles with square head screw pin	S-1154	48
Crown Shackles - dee shackles with round pin	S-3557	30
Crown Shackles - dee shackles with round pin	S-3559	31
E		
Eye bolts - generally to DIN 580	R-7840	148
Eye nuts - generally to DIN 582	R-7842	148
Eye terminals - swage type	R-7835	146
F		
Fishcon hooks - with tapered opening	P-6768	104
Fishing Shackles - bow shackles with square head screw pin	P-3764	44
Fishing Shackles - bow shackles with square head screw pin and one flattened eye	P-3780	42
Fishing Shackles - bow shackles with square sunken hole screw pin and one flattened eye	P-3790	42
Fishing Shackles - dee shackles with square head screw pin	P-3754	44
Fishing Shackles - dee shackles with square head screw pin	S-3770	45
Fishing Shackles - dee shackles with square head screw pin and one flattened eye	P-3785	43
Fishing Shackles - dee shackles with square sunken hole screw pin and one flattened eye	P-3795	43
Fork terminals - swage type	R-7834	146
G		
Galvanized malleable iron blocks - with eye, one sheave	G-6917	127
Galvanized malleable iron blocks - with eye, three sheaves	G-6927	129
Galvanized malleable iron blocks - with eye, two sheaves	G-6922	128
Galvanized malleable iron blocks - with hook, one sheave	G-6918	127
Galvanized malleable iron blocks - with hook, three sheaves	G-6928	129
Galvanized malleable iron blocks - with hook, two sheaves	G-6923	128
Galvanized malleable iron snatch blocks - with eye, one sheave	E-6943	130
Galvanized malleable iron snatch blocks - with hook, one sheave	E-6944	130
G-hooks - with tapered opening	P-6765	105
Gold Nose TM sockets - closed spelter socket	G-6416	75
Green Pin [®] connecting links - for connecting grade 80 chain-slings - red	P-6860R	91
Green Pin [®] connecting links - for connecting grade 80 chain-slings - yellow	P-6860Y	91
Green Pin [®] eye bolts - generally to DIN 580 - electro-galvanized	E-8140	107
Green Pin [®] eye bolts - generally to DIN 580 - self coloured	S-8140	107
Green Pin [®] eye bolts C15E - generally to DIN 580 - electro-galvanized	E-8180	108
Green Pin [®] eye bolts C15E - generally to DIN 580 - self coloured	S-8180	108
Green Pin [®] eye nuts - generally to DIN 582 - electro-galvanized	E-8142	107
Green Pin [®] eye nuts - generally to DIN 582 - self coloured	S-8142	107
Green Pin [®] eye nuts C15E - generally to DIN 582 - electro-galvanized	E-8182	108
Green Pin [®] eye nuts C15E - generally to DIN 582 - self coloured	S-8182	108
Green Pin [®] Heavy Duty Polar Shackles - bow shackles with safety bolt	P-6031	23
Green Pin [®] Heavy Duty Shackles - bow shackles with safety bolt	P-6036	18
Green Pin [®] Heavy Duty Shackles - dee shackles with safety bolt	G-6038	19
Green Pin [®] large eye hooks, grade 4 - with safety latch	P-6714C	101
Green Pin [®] large eye hooks, grade 8 - with safety latch	P-6714A	101
Green Pin [®] lever type loadbinders - with hooks - green	P-7110G	113
Green Pin [®] lever type loadbinders - with hooks - red	P-7110R	113
Green Pin [®] lifting clamp, type ESV - for lifting and transportation of steel beams	P-6685	121

Green Pin® master link assemblies - with flat part	P-6855	93
Green Pin® master links - with flat part	P-6835	92
Green Pin® pipe line hooks	P-6731	103
Green Pin® plate lifting clamp spare part - cam assembly	P-6654	121
Green Pin® plate lifting clamp spare part - cam pin	S-6655	121
Green Pin® plate lifting clamp spare part - eye pin	S-6657	121
Green Pin® plate lifting clamp spare part - lifting eye	P-6651	121
Green Pin® plate lifting clamp spare part - lock lever assembly	P-6652	121
Green Pin® plate lifting clamp spare part - lock spring	S-6653	121
Green Pin® plate lifting clamp spare part - pivot	S-6656	121
Green Pin® plate lifting clamp spare part - universal eye component	P-6658	121
Green Pin® plate lifting clamp, type E - for lifting and vertical transportation	P-6615	118
Green Pin® plate lifting clamp, type EH - for lifting and horizontal transportation	P-6635	120
Green Pin® plate lifting clamp, type EHS - for lifting and horizontal transportation	P-6636	120
Green Pin® plate lifting clamp, type ES - for lifting and vertical transportation	P-6616	118
Green Pin® plate lifting clamp, type EU - for lifting and transportation in all directions	P-6625	119
Green Pin® plate lifting clamp, type EUS - for lifting and transportation in all directions	P-6626	119
Green Pin® Polar Shackles - bow shackles with safety bolt	G-5163	22
Green Pin® ratchet type loadbinders - with hooks	P-7170	111
Green Pin® ratchet type loadbinders - with hooks - green	P-7130G	112
Green Pin® ratchet type loadbinders - with hooks - red	P-7130R	112
Green Pin® ratchet type loadbinders - without hooks	P-7190	111
Green Pin® ratchet type loadbinders - without hooks - green	P-7150G	112
Green Pin® ratchet type loadbinders - without hooks - red	P-7150R	112
Green Pin® sliding choker hooks - with safety latch	P-6706A	103
Green Pin® Sling Shackles - bow shackles with safety bolt	P-6033	20
Green Pin® Snatch blocks - type 601S, with Green Pin® Shackle	P-6951	125
Green Pin® sockets - closed spelter socket - hot dipped galvanized	G-6411	73
Green Pin® sockets - closed spelter socket - painted	P-6411	73
Green Pin® sockets - open spelter socket - hot dipped galvanized	G-6412	74
Green Pin® sockets - open spelter socket - painted	P-6412	74
Green Pin® sockets - open wedge socket - hot dipped galvanized	G-6413	75
Green Pin® sockets - open wedge socket - painted	P-6413	75
Green Pin® spring type loadbinders - with hooks	P-7120	113
Green Pin® Standard Shackles - bow shackles with safety bolt	G-4163	15
Green Pin® Standard Shackles - bow shackles with screw collar pin	G-4161	14
Green Pin® Standard Shackles - dee shackles with safety bolt	G-4153	17
Green Pin® Standard Shackles - dee shackles with screw collar pin	G-4151	16
Green Pin® Sunken Hole Shackles - bow shackles with square sunken hole screw pin	G-4169	28
Green Pin® Sunken Hole Shackles - dee shackles with square sunken hole screw pin	G-4159	29
Green Pin® Super Shackles - bow shackles with safety bolt	G-5263	21
Green Pin® swivel hooks, grade 4 - with safety latch	P-6703C	102
Green Pin® swivel hooks, grade 8 - with safety latch	P-6703A	102
Green Pin® swivels Eye - Eye	G-7713	95
Green Pin® swivels Jaw - Eye	G-7723	95
Green Pin® Trawling Shackles - bow shackles with square headed screw pin	G-4164	26
Green Pin® Trawling Shackles - dee shackles with square headed screw pin	G-4154	27
Green Pin® turnbuckles Eye - Eye - generally to ASTM F1145-92	G-6311	81
Green Pin® turnbuckles Eye - Hook - generally to ASTM F1145-92	G-6314	84
Green Pin® turnbuckles Eye - Jaw - generally to ASTM F1145-92	G-6315	83
Green Pin® turnbuckles Hook - Hook - generally to ASTM F1145-92	G-6312	82
Green Pin® turnbuckles Jaw - Jaw - generally to ASTM F1145-92	G-6313	80
Green Pin® Wide Mouth Towing Shackles - bow shackles with safety bolt	G-4263	24
Green Pin® wire rope clips - generally to EN 13411-5 Type B	G-6240	63

K

Key for Green Pin® Sunken Hole Shackles	P-4170	28
-----------------------------------------	--------	----

L

Linch pins - with round spring ring	E-7940	138
Long link chain - generally to DIN 763	R-7890	152
Long link chain - generally to DIN 763, commercial quality - electro-galvanized	E-7631	115
Long link chain - generally to DIN 763, commercial quality - hot dipped galvanized	G-7632	115
Long link chain - generally to DIN 763, commercial quality - self coloured	S-7630	115

M

Mooring Shackles - bow shackles with screw pin	S-1165	30
------------------------------------------------	--------	----

O

Open body rigging screws Eye - Eye	R-7839	145
Open body rigging screws Hook - Eye	R-7838	144
Open body rigging screws Hook - Hook	R-7837	144

P

Prescon sleeves - with colour code	S-6500	68
------------------------------------	--------	----

Q		
Quick links - standard type	E-7300	135
Quick links - standard type	R-7873	151
Quick links - with enlarged opening	E-7310	135
Quick links - with enlarged opening	R-7874	151
R		
Rigging screws Eye - Eye - according to DIN 1480	E-6351	85
Rigging screws Eye - Hook - according to DIN 1480	E-6354	86
Rigging screws Hook - Hook - according to DIN 1480	E-6352	85
Rigging screws Jaw - Jaw - according to DIN 1480	E-6353	86
Rigging screws with Welding Ends - according to DIN 1480	E-6355	87
Round thimbles - container type	G-6144	59
Round thimbles - ordinary type - electro-galvanized	E-6143	59
Round thimbles - ordinary type - hot dipped galvanized	G-6143	59
S		
Shackles - bow shackle with screw pin	R-7825	141
Shackles - dee shackle with screw pin	R-7821	141
Shackles - long dee type	R-7829	142
Shackles - short twisted type	R-7822	142
Shackles generally to B.S. 3032 table 1 - small dee shackles with screw collar pin - electro-galvanized	E-2755	41
Shackles generally to B.S. 3032 table 1 - small dee shackles with screw collar pin - hot dipped galvanized	G-2755	41
Shackles generally to B.S. 3032 table 1 - small dee shackles with screw collar pin - self coloured	S-2755	41
Shackles generally to B.S. 3032 table 2 - large dee shackles with screw collar pin - electro-galvanized	E-2751	40
Shackles generally to B.S. 3032 table 2 - large dee shackles with screw collar pin - hot dipped galvanized	G-2751	40
Shackles generally to B.S. 3032 table 2 - large dee shackles with screw collar pin - self coloured	S-2751	40
Shackles generally to B.S. 3032 table 3 - large bow shackles with screw collar pin - electro-galvanized	E-2761	38
Shackles generally to B.S. 3032 table 3 - large bow shackles with screw collar pin - hot dipped galvanized	G-2761	38
Shackles generally to B.S. 3032 table 3 - large bow shackles with screw collar pin - self coloured	S-2761	38
Shackles generally to B.S. 3032 table 4 - small bow shackles with screw collar pin - electro-galvanized	E-2765	39
Shackles generally to B.S. 3032 table 4 - small bow shackles with screw collar pin - hot dipped galvanized	G-2765	39
Shackles generally to B.S. 3032 table 4 - small bow shackles with screw collar pin - self coloured	S-2765	39
Shackles generally to DIN 82016 type A - bow shackles with screw collar pin - hot dipped galvanized	G-3461	32
Shackles generally to DIN 82016 type A - bow shackles with screw collar pin - self coloured	S-3461	32
Shackles generally to DIN 82016 type B - bow shackles with safety bolt - hot dipped galvanized	G-3466	32
Shackles generally to DIN 82016 type B - bow shackles with safety bolt - self coloured	S-3466	32
Shackles generally to DIN 82101 type A - dee shackles with screw collar pin - hot dipped galvanized	G-3351	33
Shackles generally to DIN 82101 type A - dee shackles with screw collar pin - self coloured	S-3351	33
Shackles generally to DIN 82101 type B - dee shackles with counter sunk screw pin - hot dipped galvanized	G-3352	33
Shackles generally to DIN 82101 type B - dee shackles with counter sunk screw pin - self coloured	S-3352	33
Shackles generally to DIN 82101 type C - dee shackles with safety bolt - hot dipped galvanized	G-3356	34
Shackles generally to DIN 82101 type C - dee shackles with safety bolt - self coloured	S-3356	34
S-hooks - standard type	E-7920	136
Short link chain - generally to DIN 766	R-7880	152
Short link chain - generally to DIN 766, commercial quality - electro-galvanized	E-7661	115
Short link chain - generally to DIN 766, commercial quality - hot dipped galvanized	G-7662	115
Short link chain - generally to DIN 766, commercial quality - self coloured	S-7660	115
Snatch blocks - type 601H, with hook	P-6952	126
Snatch blocks - type 601T	P-6953	126
Spring pins - double type	E-7931	137
Spring pins - single type	E-7930	137
Swage sockets - closed type	S-6415	77
Swage sockets - open type	S-6414	76
Swivels Eye - Eye	R-7877	147
T		
Thimbles - for rope	E-6180	58
Thimbles - generally to DIN 3090 - electro-galvanized	E-6135	54
Thimbles - generally to DIN 3090 - hot dipped galvanized	G-6135	54
Thimbles - generally to DIN 3091	S-6134	55
Thimbles - generally to DIN 6899 (B) - electro-galvanized	E-6131	52
Thimbles - generally to DIN 6899 (B) - hot dipped galvanized	G-6131	52
Thimbles - generally to DIN 6899 (C)	G-6132	53
Thimbles - generally to DIN 83311	G-6133	53
Thimbles - generally to EN 13411-1 - hot dipped galvanized	G-6170	56
Thimbles - generally to US Federal Specification FF-T-276b type III - hot dipped galvanized	G-6142	56
Thimbles - heavy duty stub-end	E-6120	51
Thimbles - heavy type	R-7860	143
Thimbles - pennant line type	G-6151	57
Thimbles - standard commercial	E-6110	51
Thimbles - towing type	G-6160	57
Thimbles - tubular type	P-6190	58
Threaded terminals - swage type	R-7836	147
Thrust bearing swivels Eye - Eye	P-7740	97
Thrust bearing swivels Eye - Jaw	P-7730	97

Thrust bearing swivels Hook - Eye	P-7760	98
Thrust bearing swivels Hook - Jaw	P-7750	98
Thrust bearing swivels Jaw - Eye	P-7720	96
Thrust bearing swivels Jaw - Jaw	P-7710	96
Turnbuckles (hamburgers) - for deck lashing	S-6330	89
V		
Viking hooks - with tapered opening	P-6760	104
W		
Wire rope clips - generally to DIN 741	E-6220	64
Wire rope clips - generally to DIN 741	R-7863	143
Wire rope clips - generally to EN 13411-5 Type A	E-6260	63
Wire rope clips - generally to NF 00026	E-6280	65
Y		
Yellow Pin Shackles - bow shackles with safety pin	G-3163	36
Yellow Pin Shackles - bow shackles with screw collar pin	G-3161	36
Yellow Pin Shackles - dee shackles with safety pin	G-3153	37
Yellow Pin Shackles - dee shackles with screw collar pin	G-3151	37